


**Zero Motorcycles**  
**FXS 2019 Exploded Views**

ZEV0060 - Frame(Right)




**ZEVO060 - Frame(Right)**

| Callout | Part Number | Part Name                                                                                                                                                    | Qty. per Motorcycle |
|---------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 26-08140    | ELECTRICAL MOUNTING BRACKET XMX REAR UPPER<br>LONGBRICK                                                                                                      | 1                   |
| 2       | 26-08080    | FRAME XMX COMPLETE ASSEMBLY WITH RAIL AND<br>BEARINGS<br>NOTE: Must supply VIN# and Warranty Claim# when ordering.<br>NOTE: Supersedes part number 20-07479. | 1                   |
| 3       | 90-02052    | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                             | 1                   |
| 4       | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                              | 1                   |
| 5       | 20-06862    | MOUNT BRACKET AUX CHARGE XMX                                                                                                                                 | 1                   |
| 6       | 90-05244    | HEXAGON SOCKET COUNTERSUNK HEAD SCREW ISO<br>10642 M5X12-10.9 ZM-F-01 REV 03                                                                                 | 1                   |
| 7       | 20-05773    | MODULE SLIDER GENERAL                                                                                                                                        | 1                   |
| 8       | 20-05153    | MODULE SEPERATOR BLOCK                                                                                                                                       | 1                   |
| 9       | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                                                                                              | 1                   |
| 10      | 90-07272    | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M5X8-8.8 ZM-F-01 ZM-L-02                                                                                    | 1                   |
| 11      | 20-05774    | MODULE SLIDER FRONT MODULE HORIZONTALS                                                                                                                       | 1                   |
| 12      | 20-05286    | PLACA DE TUERCAS Y RETENCIÃ“N DE MONTAJE                                                                                                                     | 1                   |
| 13      | 20-05109    | MONTAJE DE CONECTOR DE MÃ“DULO LADO MOTO                                                                                                                     | 1                   |
| 14      | 90-08092    | HEXAGON SOCKET BUTTON HEAD SCREW ISO 7380<br>M4X40-8.8 ZM-F-01 REV 03                                                                                        | 1                   |
| 15      | 20-05912    | BIKE SIDE MODULE CONNECTOR HOLDER COMPLIANT<br>MOUNT                                                                                                         | 1                   |
| 16      | 20-06863    | XMX MODULE SUPPORT PLATFORM 14MY IMPL                                                                                                                        | 1                   |
| 17      | 26-08139    | ELECTRICAL MOUNTING BRACKET XMX LONGBRICK<br>SUPPORT PLATFORM                                                                                                | 1                   |
| 18      | 90-02103    | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                              | 1                   |
| 19      | 90-02054    | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                                                                                             | 1                   |
| 20      | 20-05774    | MODULE SLIDER FRONT MODULE HORIZONTALS                                                                                                                       | 1                   |
| 21      | 20-05773    | MODULE SLIDER GENERAL                                                                                                                                        | 1                   |
| 22      | 20-05773    | MODULE SLIDER GENERAL                                                                                                                                        | 1                   |
| 23      | 90-02725    | CLEVIS PIN CUSTOM 10MM X 45L                                                                                                                                 | 1                   |
| 24      | 20-02727    | TORSION SPRING, .678 OD .078 WIRE, CCW                                                                                                                       | 1                   |
| 25      | 20-02549    | ESTRIBO DERECHO<br>NOTE: Does not apply to S and SR                                                                                                          | 1                   |
| 26      | 90-02879    | RETAINING RING 9MM SHAFT DIN 471                                                                                                                             | 1                   |
| 27      | 90-07259    | HEXAGON SOCKET THIN HEAD CAP SCREW DIN 7984<br>M10X35-8.8                                                                                                    | 1                   |
| 28      | 20-02724    | PASADOR DE ESTRIBO DERECHO UNIVERSAL                                                                                                                         | 1                   |
| 29      | 90-07284    | HEX FLANGE BOLT M8X25                                                                                                                                        | 1                   |

|    |          |                                                                                                                                               |   |
|----|----------|-----------------------------------------------------------------------------------------------------------------------------------------------|---|
| 30 | 20-06295 | REAR MASTER CYLINDER BRACKET XMX M6 THRU                                                                                                      | 1 |
| 31 | 25-07457 | MASTER CYLINDER GUARD FOR J-JUAN MASTER CYLINDER                                                                                              | 1 |
| 32 | 90-07323 | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M6X25-8.8 ZM-F-01 REV 03 ZM-L-01 REV 01                                                      | 1 |
| 33 | 90-07284 | HEX FLANGE BOLT M8X25                                                                                                                         | 1 |
| 34 | 90-02879 | RETAINING RING 9MM SHAFT DIN 471                                                                                                              | 1 |
| 35 | 20-07604 | SDS AND FX PASSENGER PEG BRKT R                                                                                                               | 1 |
| 36 | 90-02725 | CLEVIS PIN CUSTOM 10MM X 45L                                                                                                                  | 1 |
| 37 | 20-05404 | FOOTPEG DETENT BALL MECHANISM                                                                                                                 | 1 |
| 38 | 20-04279 | FOOTPEG DETENT PLATE                                                                                                                          | 1 |
| 39 | 27-08038 | PASSENGER FOOTPEG RIGHT SIDE                                                                                                                  | 1 |
| 40 | 26-08180 | LONG BRICK STORAGE BOX STRIKER PLATE                                                                                                          | 1 |
| 41 | 90-08099 | FRAME RAIL LATCH SCREW                                                                                                                        | 1 |
| 42 | 90-08099 | FRAME RAIL LATCH SCREW                                                                                                                        | 1 |
| 43 | 20-05296 | PANEL MOUNT LATCH LOCKING C9101-2112                                                                                                          | 1 |
| 44 | 20-06404 | BATTERY RETAINING RAIL<br>NOTE: Rail does not include latch (20-05296), screws (90-06857), foam or ZF insignia, which are ordered separately. | 1 |
| 45 | 90-07286 | HEX FLANGE BOLT M6X16                                                                                                                         | 1 |






| Callout | Part Number | Part Name                                                                                                                                                 | Qty. per Motorcycle |
|---------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 26-08041    | CHASSIS STRUCTURE MOUNTING BRACKET HORN                                                                                                                   | 1                   |
| 2       | 26-08080    | FRAME XMX COMPLETE ASSEMBLY WITH RAIL AND BEARINGS<br>NOTE: Must supply VIN# and Warranty Claim# when ordering.<br>NOTE: Supersedes part number 20-07479. | 1                   |
| 3       | 20-06439    | SEAT KNOB 14MY IMPL                                                                                                                                       | 1                   |
| 4       | 90-02059    | HEXAGON SOCKET COUNTERSUNK HEAD SCREW ISO 10642 M6X18-8.8 ZM-F-01 REV 03                                                                                  | 1                   |
| 5       | 90-02725    | CLEVIS PIN CUSTOM 10MM X 45L                                                                                                                              | 1                   |
| 6       | 27-08039    | PASSENGER FOOTPEG LEFT SIDE                                                                                                                               | 1                   |
| 7       | 20-05404    | FOOTPEG DETENT BALL MECHANISM                                                                                                                             | 1                   |
| 8       | 20-04279    | FOOTPEG DETENT PLATE                                                                                                                                      | 1                   |
| 9       | 90-02879    | RETAINING RING 9MM SHAFT DIN 471                                                                                                                          | 1                   |
| 10      | 20-04285    | SOPORTE DE ESTRIBO DE PASAJERO IZQUIERDO SDS                                                                                                              | 1                   |
| 11      | 90-07284    | HEX FLANGE BOLT M8X25                                                                                                                                     | 1                   |
| 12      | 20-06939    | PASSENGER PEG BRACKET HEEL GUARD LEFT<br>NOTE: USED ONLY ON EU FX                                                                                         | 1                   |
| 13      | 90-07277    | HEXAGON SOCKET THIN HEAD CAP SCREW DIN 7984 M10X25-8.8 ZM-F-01 REV 03 ZM-L-01 REV 01                                                                      | 1                   |
| 14      | 90-02800    | BUSHING FLANGE 0.375                                                                                                                                      | 1                   |
| 15      | 90-08219    | SIDESTAND SPRING OUTER STAINLESS PASSIVATED                                                                                                               | 1                   |
| 16      | 20-00709    | S KS SPRING IN                                                                                                                                            | 1                   |
| 17      | 90-07261    | HEXAGON SOCKET COUNTERSUNK HEAD SCREW ISO 10642 M8X20-10.9 ZM-F-01 REV 03 ZM-L-01 REV 01                                                                  | 1                   |
| 18      | 26-08099    | SIDESTAND MEDIUM-LONG ASSY W/MAGNET                                                                                                                       | 1                   |
| 19      | 90-02799    | CLEVIS PIN CUSTOM<br>NOTE: Used to attach kickstand leg to mount.                                                                                         | 1                   |
| 20      | 90-02837    | PRESILLA EN E DE 0.375                                                                                                                                    | 1                   |
| 21      | 90-02800    | BUSHING FLANGE 0.375                                                                                                                                      | 1                   |
| 22      | 20-06590    | KICKSTAND MOUNT                                                                                                                                           | 1                   |
| 23      | 90-02725    | CLEVIS PIN CUSTOM 10MM X 45L                                                                                                                              | 1                   |
| 24      | 20-02723    | PASADOR DE ESTRIBO IZQUIERDO UNIVERSAL                                                                                                                    | 1                   |
| 25      | 90-07277    | HEXAGON SOCKET THIN HEAD CAP SCREW DIN 7984 M10X25-8.8 ZM-F-01 REV 03 ZM-L-01 REV 01                                                                      | 1                   |
| 26      | 90-02879    | RETAINING RING 9MM SHAFT DIN 471                                                                                                                          | 1                   |
| 27      | 20-02727    | TORSION SPRING, .678 OD .078 WIRE, CCW                                                                                                                    | 1                   |
| 28      | 20-02548    | ESTRIBO IZQUIERDO                                                                                                                                         | 1                   |
| 29      | 90-02615    | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M6X16 ZM-F-01                                                                                                    | 1                   |
| 30      | 90-02615    | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M6X16 ZM-F-01                                                                                                    | 1                   |

|    |          |                                                                                 |   |
|----|----------|---------------------------------------------------------------------------------|---|
| 31 | 26-08018 | XMV SKID PLATE HEAT SINK PROTECTION                                             | 1 |
| 32 | 20-05036 | MONTAJE DE DISIPADOR T RMICO                                                    | 1 |
| 33 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                 | 1 |
| 34 | 90-02054 | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                | 1 |
| 35 | 90-02059 | HEXAGON SOCKET COUNTERSUNK HEAD SCREW ISO<br>10642 M6X18-8.8 ZM-F-01 REV 03     | 1 |
| 36 | 90-07285 | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M5X16<br>ZM-F-01 REV 03 ZM-L-01 REV 01 | 1 |






## ZEV0058 - Rear Suspension

| Callout | Part Number | Part Name                                                                                                                                                                                                              | Qty. per Motorcycle |
|---------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 90-02050    | PREVAILING TORQUE TYPE NUT DIN 985 M10-08 ZM-F-01                                                                                                                                                                      | 1                   |
| 2       | 90-02100    | WASHER ISO 7089 10-200 HV ZM-F-01                                                                                                                                                                                      | 1                   |
| 3       | 90-02050    | PREVAILING TORQUE TYPE NUT DIN 985 M10-08 ZM-F-01                                                                                                                                                                      | 1                   |
| 4       | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |
| 5       | 20-06130    | STUB AXLE                                                                                                                                                                                                              | 1                   |
| 6       | 20-06755    | SWINGARM PIVOT BEARING SEAL PROTECTOR                                                                                                                                                                                  | 1                   |
| 7       | 24-08251    | TRIMMED REAR INNER FENDER                                                                                                                                                                                              | 1                   |
| 8       | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                                                                                                                                                     | 1                   |
| 9       | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03                                                                                                                           | 1                   |
| 10      | 90-05088    | HEXAGON FLANGE NUT DIN 6923 M8-1.25 ZM-F-01 REV 03<br>NOTE: Axle adjusters jam nut                                                                                                                                     | 1                   |
| 11      | 90-03030    | HEXAGON HEAD SCREW DIN 933 M8X40-10.9 ZM-F-01 REV 03                                                                                                                                                                   | 1                   |
| 12      | 20-05792    | AXLE COVER<br>NOTE: USED ONLY ON EU FX                                                                                                                                                                                 | 1                   |
| 13      | 90-05678    | U-NUT M20X1.5 FLANGE 27S 15H<br>NOTE: Rear Axle Nut                                                                                                                                                                    | 1                   |
| 14      | 26-08123    | REAR AXLE ADJUSTER PUSH BLOCK NUT SIDE                                                                                                                                                                                 | 1                   |
| 15      | 45-07496    | MPI WHEEL SPEED SENSOR                                                                                                                                                                                                 | 1                   |
| 16      | 23-07489    | WHEEL SPACER DRIVE SIDE REAR                                                                                                                                                                                           | 1                   |
| 17      | 26-08124    | REAR AXLE ADJUSTER PUSH BLOCK HEAD SIDE                                                                                                                                                                                | 1                   |
| 18      | 23-08032    | AXLE 20MM HOLLOW, ROUNDED END                                                                                                                                                                                          | 1                   |
| 19      | 90-03030    | HEXAGON HEAD SCREW DIN 933 M8X40-10.9 ZM-F-01 REV 03                                                                                                                                                                   | 1                   |
| 20      | 90-05088    | HEXAGON FLANGE NUT DIN 6923 M8-1.25 ZM-F-01 REV 03<br>NOTE: Axle adjusters jam nut                                                                                                                                     | 1                   |
| 21      | 26-08068    | X SWINGARM EXTENDED REAR AXLE SLOT                                                                                                                                                                                     | 1                   |
| 22      | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |
| 23      | 20-06130    | STUB AXLE                                                                                                                                                                                                              | 1                   |
| 24      | 20-06755    | SWINGARM PIVOT BEARING SEAL PROTECTOR                                                                                                                                                                                  | 1                   |
| 25      | 90-05711    | LOWER SHOCK EYE BOLT M10-1.5X60MM                                                                                                                                                                                      | 1                   |

|    |          |                                   |   |
|----|----------|-----------------------------------|---|
| 26 | 90-07295 | UPPER SHOCK BOLT FX 10X70MM       | 1 |
| 27 | 22-08055 | FX SHOCK 40MM                     | 1 |
| 28 | 90-02100 | WASHER ISO 7089 10-200 HV ZM-F-01 | 1 |






| Callout | Part Number | Part Name                                                                       | Qty. per Motorcycle |
|---------|-------------|---------------------------------------------------------------------------------|---------------------|
| 1       | 27-08057    | MIRROR RH                                                                       | 1                   |
| 2       | 27-08056    | MIRROR LH                                                                       | 1                   |
| 3       | 24-06001    | XXM SEAT                                                                        | 1                   |
| 4       | 90-02053    | PREVAILING TORQUE TYPE NUT DIN 985 M5-08 ZM-F-01<br>REV 02                      | 1                   |
| 5       | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                 | 1                   |
| 6       | 24-05285    | SOPORTE DE MONTAJE DE REFLECTOR XXM                                             | 1                   |
| 7       | 90-05244    | HEXAGON SOCKET COUNTERSUNK HEAD SCREW ISO<br>10642 M5X12-10.9 ZM-F-01 REV 03    | 1                   |
| 8       | 90-02053    | PREVAILING TORQUE TYPE NUT DIN 985 M5-08 ZM-F-01<br>REV 02                      | 1                   |
| 9       | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                 | 1                   |
| 10      | 24-04449-23 | Option #1: RHINO                                                                | 1                   |
|         | 24-04449-22 | Option #2: DUNE                                                                 | 1                   |
|         | 24-04449-1  | Option #3: BLACK                                                                | 1                   |
| 11      | 24-04451    | GÃNDOLA DE COLA X/MX                                                            | 1                   |
| 12      | 90-02610    | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M5X20<br>ZM-F-01 REV 02                | 1                   |
| 13      | 90-05887    | PHILIPS HEAD SHEET METAL SCREW TYPE AB NO 10 X 1/2<br>STEEL ZM-F-11             | 1                   |
| 14      | 90-02610    | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M5X20<br>ZM-F-01 REV 02                | 1                   |
| 15      | 90-02053    | PREVAILING TORQUE TYPE NUT DIN 985 M5-08 ZM-F-01<br>REV 02                      | 1                   |
| 16      | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                 | 1                   |
| 17      | 24-05160    | SOPORTE DE MATRÃ•CULA<br>NOTE: ONLY USED ON EU/ AUSTRALIA/ UK REGIONS           | 1                   |
| 18      | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                 | 1                   |
| 19      | 90-07285    | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M5X16<br>ZM-F-01 REV 03 ZM-L-01 REV 01 | 1                   |
| 20      | 24-07567    | XXM TOP CENTER CONSOLE WITH MACHINE FEATURE TO<br>CLEAR GUSSET                  | 1                   |
| 21      | 90-07256    | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M5X20-8.8 ZM-F-11              | 1                   |
| 22      | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                              | 1                   |
| 23      | 90-07284    | HEX FLANGE BOLT M8X25                                                           | 1                   |
| 24      | 24-03873-23 | Option #1: RHINO                                                                | 1                   |
|         | 24-03873-22 | Option #2: DUNE                                                                 | 1                   |
|         | 24-03873-1  | Option #3: BLACK                                                                | 1                   |
|         | 24-03873    | Option #4: WHITE                                                                | 1                   |

|    |             |                                                                                              |   |
|----|-------------|----------------------------------------------------------------------------------------------|---|
| 24 | 24-03873-1  | PLACA DE NÑŠMERO TRASERA DERECHA NEGRA NO. 2                                                 | 1 |
| 25 | 90-02140    | TUERCA EN U SUJETABLE M5X15.8DP                                                              | 1 |
| 26 | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03 | 1 |
| 27 | 24-05059-1  | Option #1: WHITE                                                                             | 1 |
|    | 24-05059-2  | Option #2: BLACK                                                                             | 1 |
|    | 24-05059-22 | Option #3: DUNE                                                                              | 1 |
|    | 24-05059-23 | Option #4: RHINO                                                                             | 1 |
| 27 | 24-05059-1  | Option #1: WHITE                                                                             | 1 |
|    | 24-05059-2  | Option #2: BLACK                                                                             | 1 |
|    | 24-05059-22 | Option #3: DUNE                                                                              | 1 |
|    | 24-05059-23 | Option #4: RHINO                                                                             | 1 |
| 28 | 24-03874-22 | Option #1: DUNE                                                                              | 1 |
|    | 24-03874-1  | Option #2: BLACK                                                                             | 1 |
|    | 24-03874    | Option #3: WHITE                                                                             | 1 |
|    | 24-03874-23 | Option #4: RHINO                                                                             | 1 |
| 28 | 24-03874-1  | PLACA DE NÑŠMERO TRASERA IZQUIERDA NEGRA NO. 2                                               | 1 |
| 29 | 90-07284    | HEX FLANGE BOLT M8X25                                                                        | 1 |
| 30 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                           | 1 |
| 31 | 20-03066    | RIVET PUSH PUSH NYLON M6                                                                     | 1 |
| 32 | 90-08055    | RIVET/TREE FASTENER 5MM OD PUSH SCREW TYPE                                                   | 1 |
| 33 | 90-02140    | TUERCA EN U SUJETABLE M5X15.8DP                                                              | 1 |
| 34 | 90-08038    | RIVET/TREE FASTENER M6 NYLON SCREW RIVET                                                     | 1 |
| 35 | 90-08055    | RIVET/TREE FASTENER 5MM OD PUSH SCREW TYPE                                                   | 1 |
| 36 | 24-06043    | XMx FAIRING CENTER                                                                           | 1 |
| 37 | 24-08259    | LONGBRICK GAP FILLER LEFT ASSEMBLY                                                           | 1 |
| 38 | 90-07256    | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M5X20-8.8 ZM-F-11                           | 1 |
| 39 | 24-08157    | REAR INNER FENDER<br>NOTE: Supersedes part number 24-04438                                   | 1 |
| 40 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                           | 1 |
| 41 | 90-08038    | RIVET/TREE FASTENER M6 NYLON SCREW RIVET                                                     | 1 |
| 42 | 90-08038    | RIVET/TREE FASTENER M6 NYLON SCREW RIVET                                                     | 1 |
| 43 | 90-03114    | XMx TREE CLIP 4MM X 8MM LG X 11MM HD                                                         | 1 |
| 44 | 24-06190    | XMx CONTROLLER COVER L 14MY IMPL                                                             | 1 |
| 45 | 90-08038    | RIVET/TREE FASTENER M6 NYLON SCREW RIVET                                                     | 1 |
| 46 | 24-06191    | XMx CONTROLLER COVER R 14MY IMPL                                                             | 1 |
| 47 | 90-08038    | RIVET/TREE FASTENER M6 NYLON SCREW RIVET                                                     | 1 |
| 48 | 90-03114    | XMx TREE CLIP 4MM X 8MM LG X 11MM HD                                                         | 1 |
| 49 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                           | 1 |
| 50 | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03 | 1 |
| 51 | 24-08070    | FORK GUARD LEFT                                                                              | 1 |
| 52 | 24-08071    | FORK GUARD CLAMP                                                                             | 1 |
| 53 | 90-05886    | PHILIPS HEAD SHEET METAL SCREW TYPE AB NO 8 X 1/2<br>STEEL ZM-F-11                           | 1 |

|    |             |                                                                                                                                                          |   |
|----|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 54 | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03                                                             | 1 |
| 55 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                                                                                       | 1 |
| 56 | 24-08069    | FORK GUARD RIGHT                                                                                                                                         | 1 |
| 57 | 24-08191    | FRONT FENDER DIRT BRAKE LINE HOLE                                                                                                                        | 1 |
| 58 | 90-08123    | HEX FLANGE BOLT STAR DRIVE PER ZM 88-08813 M5X12 8.8<br>ZM-F-01 ZM-L-02                                                                                  | 1 |
| 59 | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                                                                                          | 1 |
| 60 | 90-08055    | RIVET/TREE FASTENER 5MM OD PUSH SCREW TYPE                                                                                                               | 1 |
| 61 | 24-08260    | LONGBRICK GAP FILLER RIGHT ASSEMBLY                                                                                                                      | 1 |
| 62 | 20-03066    | RIVET PUSH PUSH NYLON M6                                                                                                                                 | 1 |
| 63 | 20-03066    | RIVET PUSH PUSH NYLON M6                                                                                                                                 | 1 |
| 64 | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03                                                             | 1 |
| 65 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                                                                                       | 1 |
| 66 | 20-03066    | RIVET PUSH PUSH NYLON M6                                                                                                                                 | 1 |
| 67 | 24-05058-1  | Option #1: WHITE                                                                                                                                         | 1 |
|    | 24-05058-2  | Option #2: BLACK                                                                                                                                         | 1 |
|    | 24-05058-22 | Option #3: DUNE                                                                                                                                          | 1 |
|    | 24-05058-23 | Option #4: RHINO                                                                                                                                         | 1 |
| 67 | 24-05058-1  | Option #1: WHITE                                                                                                                                         | 1 |
|    | 24-05058-2  | Option #2: BLACK                                                                                                                                         | 1 |
|    | 24-05058-22 | Option #3: DUNE                                                                                                                                          | 1 |
|    | 24-05058-23 | Option #4: RHINO                                                                                                                                         | 1 |
| 68 | 24-07673    | SHORT NOSE DUAL BEAM FLY-SCREEN                                                                                                                          | 1 |
| 69 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                                                                                       | 1 |
| 70 | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03                                                             | 1 |
| 71 | 20-06677    | XMx HEADLIGHT MOUNT RIGHT SIDE                                                                                                                           | 1 |
| 72 | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03                                                             | 1 |
| 73 | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                                                                                       | 1 |
| 74 | 20-06678    | XMx HEADLIGHT MOUNT LEFT SIDE                                                                                                                            | 1 |
| 75 | 27-08002    | HANDLEBAR END CAP                                                                                                                                        | 1 |
| 76 | 27-08083    | HAND GRIP NON-THROTTLE SIDE<br>NOTE: Grip does not have Zero logo. Order with 27-08082 if you<br>want a matching pair.<br>NOTE: Supersedes p/n 27-08007. | 1 |
| 77 | 90-07265    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01                                                                        | 1 |
| 78 | 24-02961    | ABRAZADERA DE MONTAJE DEL ESPEJO                                                                                                                         | 1 |
| 79 | 26-08060    | MIRROR LH MOUNT LOW PROFILE<br>NOTE: Bottom part of the mirror mount LH                                                                                  | 1 |
| 80 | 27-08002    | HANDLEBAR END CAP                                                                                                                                        | 1 |
|    |             | HAND GRIP THROTTLE SIDE<br>NOTE: Grip does not have Zero logo. Order with 27-08083 if you                                                                |   |

|    |            |                                                     |   |
|----|------------|-----------------------------------------------------|---|
|    |            | want a matching pair.                               |   |
| 81 | 27-08082   | NOTE: Supersedes p/n 27-08006.                      | 1 |
| 82 | 80-06734-2 | ZERO TANK BRAND GLOSS BLACK 14MY IMPL - TANK EMBLEM | 1 |
| 82 | 80-06734-2 | ZERO TANK BRAND GLOSS BLACK 14MY IMPL - TANK EMBLEM | 1 |
| 82 | 80-08040   | FXSM MODEL DESIGNATOR EMBLEM                        | 1 |






| Callout | Part Number | Part Name                                                                                    | Qty. per Motorcycle |
|---------|-------------|----------------------------------------------------------------------------------------------|---------------------|
| 1       | 90-08112    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M8X30-10.9                                            | 1                   |
| 2       | 22-00687    | ABRAZADERA DE MANUBRIO S                                                                     | 1                   |
| 3       | 27-08151    | HIGH RISE HANDLEBAR NO LOGO<br>NOTE: Supersedes part number 27-08050.                        | 1                   |
| 4       | 22-00688    | ELEVADOR DE MANUBRIO S                                                                       | 1                   |
| 5       | 22-06279    | STEERING STEM THIN NUT M27 X 1.5 X 8MM                                                       | 1                   |
| 6       | 20-06278    | WASHER 41 - 27.5 X 2 MM                                                                      | 1                   |
| 7       | 90-02094    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M8X25-10.9<br>ZM-F-01 REV 03                          | 1                   |
| 8       | 22-07625    | XXM UPPER TRIPLE CLAMP 15MY IMP                                                              | 1                   |
| 9       | 22-06257    | STEERING STEM LOCK NUT M 30 X1.5 MM                                                          | 1                   |
| 10      | 81-08045    | BEARING LIP SEAL OVERMOLDED 55MM OD<br>NOTE: replaces part# 20-06113                         | 1                   |
| 11      | 20-06068    | STEERING HEAD BEARING KOYO SAC3055-1                                                         | 1                   |
| 12      | 90-02043    | TOOTHED LOCK WASHER WITH EXTERNAL TEETH DIN 6797<br>A M10-B85 ZM-F-01                        | 1                   |
| 13      | 90-07259    | HEXAGON SOCKET THIN HEAD CAP SCREW DIN 7984<br>M10X35-8.8                                    | 1                   |
| 14      | 20-06068    | STEERING HEAD BEARING KOYO SAC3055-1                                                         | 1                   |
| 15      | 81-08045    | BEARING LIP SEAL OVERMOLDED 55MM OD<br>NOTE: replaces part# 20-06113                         | 1                   |
| 16      | 22-07627    | XXM LOWER TRIPLE CLAMP ASSY 15MY IMP<br>NOTE: Superseded by 22-08081                         | 1                   |
| 17      | 90-02094    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M8X25-10.9<br>ZM-F-01 REV 03                          | 1                   |
| 18      | 24-08191    | FRONT FENDER DIRT BRAKE LINE HOLE                                                            | 1                   |
| 19      | 90-02107    | WASHER ISO 7093-1 5-200HV ZM-F-01<br>NOTE: Does not apply to S and SR                        | 1                   |
| 20      | 90-08123    | HEX FLANGE BOLT STAR DRIVE PER ZM 88-08813 M5X12 8.8<br>ZM-F-01 ZM-L-02                      | 1                   |
| 21      | 90-04084    | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03 | 1                   |
| 22      | 90-04085    | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                           | 1                   |
| 23      | 24-08070    | FORK GUARD LEFT                                                                              | 1                   |
| 24      | 90-05886    | PHILIPS HEAD SHEET METAL SCREW TYPE AB NO 8 X 1/2<br>STEEL ZM-F-11                           | 1                   |
| 25      | 24-08071    | FORK GUARD CLAMP                                                                             | 1                   |
| 26      | 45-07496    | MPI WHEEL SPEED SENSOR                                                                       | 1                   |
| 27      | 23-07775    | FRONT WHEEL BEARING TUBE                                                                     | 1                   |
| 28      | 24-08069    | FORK GUARD RIGHT                                                                             | 1                   |

|    |          |                                                                                    |   |
|----|----------|------------------------------------------------------------------------------------|---|
| 29 | 90-07269 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M8X30-10.9<br>ZM-F-01 REV 03 ZM-L-01 REV 01 | 1 |
| 30 | 23-07491 | HOLLOW AXLE FRONT                                                                  | 1 |
| 31 | 22-05878 | DS FORK 41MM RIGHT                                                                 | 1 |
| 31 | 22-08052 | DS FORK 41MM RIGHT, LONGBRICK                                                      | 1 |
| 32 | 22-05877 | DS FORK 41MM LEFT                                                                  | 1 |
| 32 | 22-08053 | DS FORK 41MM LEFT, LONGBRICK                                                       | 1 |
| 33 | 12-08037 | SHOWA FORK SEAL KIT<br>NOTE: Kit for one fork                                      | 1 |







| Callout | Part Number | Part Name                                                                                                                                                                                                              | Qty. per Motorcycle |
|---------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 23-08065-4  | 3.00X17 FRONT CAST WHEEL ASSY SILVER BLACK                                                                                                                                                                             | 1                   |
| 2       | 45-07496    | MPI WHEEL SPEED SENSOR                                                                                                                                                                                                 | 1                   |
| 3       | 25-08080    | ABS MAGNET RING                                                                                                                                                                                                        | 1                   |
| 4       | 23-07774    | 6204 BEARING DUST SEAL                                                                                                                                                                                                 | 1                   |
| 5       | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |
| 6       | 23-07775    | FRONT WHEEL BEARING TUBE                                                                                                                                                                                               | 1                   |
| 7       | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |
| 8       | 23-07774    | 6204 BEARING DUST SEAL                                                                                                                                                                                                 | 1                   |
| 9       | 23-07491    | HOLLOW AXLE FRONT                                                                                                                                                                                                      | 1                   |
| 10      | 23-07668    | PIRELLI DIABLO ROSSO II, 110/70R17 M/C 54H                                                                                                                                                                             | 1                   |
| 11      | 23-07669    | PIRELLI DIABLO ROSSO II, 140/70R17 M/C 66H                                                                                                                                                                             | 1                   |
| 12      | 23-08056-4  | WHEEL 3.50X17 SDS REAR CAST WHEEL ASSY 16MY IMPL BLACK-SILVER C                                                                                                                                                        | 1                   |
| 13      | 23-08032    | AXLE 20MM HOLLOW, ROUNDED END                                                                                                                                                                                          | 1                   |
| 14      | 23-07489    | WHEEL SPACER DRIVE SIDE REAR                                                                                                                                                                                           | 1                   |
| 15      | 23-07774    | 6204 BEARING DUST SEAL                                                                                                                                                                                                 | 1                   |
| 16      | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |
| 17      | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |
| 18      | 23-07776    | REAR WHEEL BEARING TUBE 15MY                                                                                                                                                                                           | 1                   |
| 19      | 20-06138    | BEARING 6204<br>NOTE: Bearing used as swing arm bearing in some models and as the wheel bearing (qty of 5; 2 in front and three in rear wheel) in 2015 and later models.<br>NOTE: Manufacturer part number is 6204-2RS | 1                   |

|    |          |                                                     |   |
|----|----------|-----------------------------------------------------|---|
| 20 | 25-08080 | ABS MAGNET RING                                     | 1 |
| 21 | 45-07496 | MPI WHEEL SPEED SENSOR                              | 1 |
| 22 | 90-05678 | U-NUT M20X1.5 FLANGE 27S 15H<br>NOTE: Rear Axle Nut | 1 |






| Callout | Part Number | Part Name                                                                         | Qty. per Motorcycle |
|---------|-------------|-----------------------------------------------------------------------------------|---------------------|
| 1       | 65-08016    | TURN SIGNAL BULB                                                                  | 1                   |
| 2       | 65-03462    | TURN SIGNAL FR-RH RR-LH                                                           | 1                   |
| 3       | 90-02043    | TOOTHED LOCK WASHER WITH EXTERNAL TEETH DIN 6797<br>A M10-B85 ZM-F-01             | 2                   |
| 4       | 90-02072    | HEXAGON THIN NUT DIN 439-B M10 1.5-04 ZM-F-01                                     | 2                   |
| 5       | 20-03146    | TURN SIGNAL HEX NUT CAP                                                           | 1                   |
| 6       | 26-08040    | DASH SUPPORT BRACKET STEEL                                                        | 1                   |
| 7       | 65-03463    | TURN SIGNAL FR-LH RR-RH                                                           | 1                   |
| 8       | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                   | 1                   |
| 9       | 90-02052    | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                  | 1                   |
| 10      | 90-02414    | HEXAGON SOCKET BUTTON HEAD SCREW ISO 7380<br>M8X12-8.8 ZM-F-01 REV 03             | 4                   |
| 11      | 20-06678    | XX HEADLIGHT MOUNT LEFT SIDE                                                      | 1                   |
| 12      | 65-03463    | TURN SIGNAL FR-LH RR-RH                                                           | 1                   |
| 13      | 65-00600    | LUZ DE COLA                                                                       | 1                   |
| 14      | 90-02043    | TOOTHED LOCK WASHER WITH EXTERNAL TEETH DIN 6797<br>A M10-B85 ZM-F-01             | 2                   |
| 15      | 90-02072    | HEXAGON THIN NUT DIN 439-B M10 1.5-04 ZM-F-01                                     | 2                   |
| 16      | 24-04451    | GÑNDOLA DE COLA X/MX                                                              | 1                   |
| 17      | 90-02103    | WASHER ISO 7089 6-200HV ZM-F-01                                                   | 10                  |
| 18      | 90-02054    | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                  | 1                   |
| 19      | 65-03462    | TURN SIGNAL FR-RH RR-LH                                                           | 1                   |
| 20      | 20-06042    | HEADLIGHT PIVOT BRACKET                                                           | 1                   |
| 21      | 65-06401    | 14MY XX HEADLIGHT LOW BEAM                                                        | 1                   |
| 22      | 65-06400    | 14MY XX HEADLIGHT HIGH BEAM                                                       | 1                   |
| 23      | 90-07123    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X16-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01 | 1                   |
| 24      | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                   | 1                   |
| 25      | 20-06677    | XX HEADLIGHT MOUNT RIGHT SIDE                                                     | 1                   |




| Callout | Part Number | Part Name                                                                                                      | Qty. per Motorcycle |
|---------|-------------|----------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 90-02104    | WASHER ISO 7089 -8-200 HV ZM-F-01                                                                              | 1                   |
| 2       | 30-08098    | ZF75-5 IPM MOTOR SPLINED SHAFT                                                                                 | 1                   |
| 3       | 20-04773    | TORNILLO REGULADOR EXTERIOR DE MOTOR                                                                           | 1                   |
| 4       | 20-04774    | MOTOR JACK SCREW INNER                                                                                         | 1                   |
| 5       | 90-02104    | WASHER ISO 7089 -8-200 HV ZM-F-01                                                                              | 1                   |
| 6       | 90-05445    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M8X80-8.8<br>ZM-F-01 REV 03                                             | 1                   |
| 7       | 90-05441    | HEXAGON SOCKET COUNTERSUNK HEAD SCREW ISO<br>10642 M8X80-8.8 ZM-F-01 REV 03                                    | 1                   |
| 8       | 30-08109    | WHEEL SPROCKET 90T 11MM PITCH 17MM WIDE BELT<br>COATED                                                         | 1                   |
| 9       | 90-02104    | WASHER ISO 7089 -8-200 HV ZM-F-01                                                                              | 1                   |
| 10      | 90-08053    | HEXALOBULAR SOCKET PAN HEAD ISO 14583 M8X30-10.9<br>ZM-F-01 ZM-L-02                                            | 1                   |
| 11      | 30-08278    | BELT 158T 11MM PITCH 17MM WIDE THIN WEB<br>NOTE: Supersedes 30-08086                                           | 1                   |
| 12      | 30-08116    | MOTOR SPROCKET 20T 11MM PITCH 17MM WIDE BELT<br>ASSEMBLED                                                      | 1                   |
| 12      | 30-08117    | MOTOR SPROCKET 18T 11MM PITCH 17MM WIDE BELT<br>ASSEMBLED                                                      | 1                   |
| 13      | 20-05453    | LOW PROFILE BELT SPROCKET MOTOR SHAFT TOPHAT                                                                   | 1                   |
| 14      | 90-08108    | HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW ISO<br>14581 M10X25-10.9 ZM-F-01 REV 03<br>NOTE: Motor sprocket bolt | 1                   |
| 15      | 90-08037    | HEXALOBULAR (6 LOBE) SOCKET FLAT HEAD<br>COUNTERSUNK SCREW ISO 14582 M8X30-10.9 ZM-F-01 REV<br>04              | 1                   |
| 16      | 90-02096    | MOTOR MOUNTING LEFT FRONT TOP AND LEFT FRONT<br>BOTTOM BOLT                                                    | 1                   |



| Callout | Part Number | Part Name                                                                                                                                                                                                                                                                                                                                                                                 | Qty. per Motorcycle |
|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 45-08039    | THROTTLE BITRON HALL EFFECT PCB<br>NOTE: Supersedes 27-08000                                                                                                                                                                                                                                                                                                                              | 1                   |
| 2       | 40-06054    | KILL MODE START SWITCH                                                                                                                                                                                                                                                                                                                                                                    | 1                   |
| 3       | 60-07780    | LEFT HAND SWITCHGEAR ECIE                                                                                                                                                                                                                                                                                                                                                                 | 1                   |
| 4       | 45-02692    | CIERRE DE INTERRUPTOR DE LLAVE ZADI<br>NOTE: This part is the ignition switch and keys only. If you want a matching helmet lock for 16MY motorcycles and older, please order p/n 20-05202. If you want the key switch and a lock for a tank trunk, please order 27-08030. If you want a ignition and matching locks for tank trunk and storage trunks, please order part number 27-08044. | 1                   |
| 5       | 90-02937    | PERNO HEXAGONAL DE SEGURIDAD M8X14MM<br>NOTE: One Time Use Bolt                                                                                                                                                                                                                                                                                                                           | 1                   |
| 6       | 90-07126    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X8-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                                                                                                                                                                                                                                                                          | 1                   |
| 7       | 20-04094    | TAPÃ“N DE ORIFICIO DE DIAGNÃ“STICO 24.50 A 26.00 MM<br>AÃ“O DE MODELO 2012                                                                                                                                                                                                                                                                                                                | 1                   |
| 8       | 46-08110    | MODULE BMS COVER 17MY                                                                                                                                                                                                                                                                                                                                                                     | 1                   |
| 9       | 90-07127    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X5-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                                                                                                                                                                                                                                                                          | 1                   |
| 10      | 40-08031    | BMS PCB ASSY POTTED 17MY IMPL<br>NOTE: PLEASE INCLUDE VIN# OF BIKE AND BATTERY<br>SERIAL # FOR PROGRAMMING PURPOSES<br>NOTE: FOR FX/FXP, IF BATTERY SERIAL NUMBER STARTS WITH 14SG**** PLEASE ORDER 41-06419                                                                                                                                                                              | 1                   |
| 11      | 46-08228    | ASSEMBLY BATTERY SHORT CELL BOX ZF3.6<br>NOTE: VIN# and/or Warranty Claim Number Must Be Provided<br>At Time Of Order                                                                                                                                                                                                                                                                     | 1                   |
| 12      | 90-07128    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X35-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                                                                                                                                                                                                                                                                         | 1                   |
| 13      | 90-07126    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X8-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                                                                                                                                                                                                                                                                          | 1                   |
| 14      | 45-08099    | ELECTRICAL COMPONENT EVC135 CONTACTOR<br>NOTE: Modular contactor                                                                                                                                                                                                                                                                                                                          | 1                   |
| 15      | 90-07123    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X16-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                                                                                                                                                                                                                                                                         | 1                   |
| 16      | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                           | 1                   |
| 17      | 90-07125    | HEXAGON SOCKET BUTTON HEAD SCREW ISO 7380 M5X10                                                                                                                                                                                                                                                                                                                                           | 1                   |
| 18      | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                           | 1                   |
| 19      | 46-08228    | ASSEMBLY BATTERY SHORT CELL BOX ZF3.6<br>NOTE: VIN# and/or Warranty Claim Number Must Be Provided<br>At Time Of Order                                                                                                                                                                                                                                                                     | 1                   |

|    |          |                                                                                                                                                         |   |
|----|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 20 | 45-06195 | FUSE 300A 170VDC 4 HOLD MODIFIED CLASS T                                                                                                                | 1 |
| 21 | 90-02102 | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                         | 1 |
| 22 | 90-02052 | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                        | 1 |
| 23 | 46-08059 | MODULE FUSE COVER 17MY IMPL                                                                                                                             | 1 |
| 24 | 24-05783 | CONTROLADOR FORMEX SUPERIOR XMX                                                                                                                         | 1 |
| 25 | 60-07190 | DC-DC CONV 500W SEVCON 622-11211 ABS UNITS                                                                                                              | 1 |
| 26 | 40-08145 | ASSY MBB POTTED GEN2 STEP E<br>NOTE: Please provide VIN, Case or Claim Number when ordering to ensure proper programming.<br>NOTE: Supersedes 40-08071. | 1 |
| 27 | 90-02102 | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                         | 1 |
| 28 | 90-02102 | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                         | 1 |
| 29 | 90-02052 | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                        | 1 |
| 30 | 90-02052 | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                        | 1 |
| 31 | 90-07278 | HEXAGON SOCKET THIN HEAD CAP SCREW DIN 7984<br>M4X10-8.8 ZM-F-01 ZM-L-02                                                                                | 1 |
| 32 | 45-02413 | HALL SENSOR SIDESTAND SWITCH                                                                                                                            | 1 |
| 33 | 90-03251 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X30-8.8<br>ZM-F-01                                                                                             | 1 |
| 34 | 90-02104 | WASHER ISO 7089 -8-200 HV ZM-F-01                                                                                                                       | 1 |
| 35 | 90-02054 | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                                                                                        | 1 |
| 36 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                         | 1 |
| 37 | 60-07009 | CONTROLLER, SIZE 4 GEN 4.5 SEVCON                                                                                                                       | 1 |
| 38 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                         | 1 |
| 39 | 90-03251 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X30-8.8<br>ZM-F-01                                                                                             | 1 |
| 40 | 20-06553 | XMX HEATSINK MY14                                                                                                                                       | 1 |
| 41 | 90-07286 | HEX FLANGE BOLT M6X16                                                                                                                                   | 1 |
| 42 | 20-05036 | MONTAJE DE DISIPADOR TÃ‰RMICO                                                                                                                           | 1 |
| 43 | 90-02054 | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                                                                                        | 1 |
| 44 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                         | 1 |
| 45 | 45-08235 | HORN                                                                                                                                                    | 1 |
| 46 | 26-08041 | CHASSIS STRUCTURE MOUNTING BRACKET HORN                                                                                                                 | 1 |
| 47 | 90-02071 | HEXAGON NUT ISO 4032 M6-8 ZM-F-01 REV 02                                                                                                                | 1 |
| 48 | 45-04864 | AC CHARGE INLET COVER                                                                                                                                   | 1 |
| 49 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01                                                                       | 1 |
| 50 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                         | 1 |
| 51 | 90-02071 | HEXAGON NUT ISO 4032 M6-8 ZM-F-01 REV 02                                                                                                                | 1 |
| 52 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                         | 1 |
| 53 | 45-08252 | ONBOARD CHARGER 720W<br>NOTE: Supersedes part number 40-07488 and 40-08089.                                                                             | 1 |
| 54 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01                                                                       | 1 |
| 55 | 90-02054 | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                                                                                        | 1 |


|    |                                          |                                       |   |
|----|------------------------------------------|---------------------------------------|---|
| 56 | 26-08040                                 | DASH SUPPORT BRACKET STEEL            | 1 |
| 56 | 90-02103                                 | WASHER ISO 7089 6-200HV ZM-F-01       | 1 |
| 57 | <i>Not Applicable to this Bike Model</i> |                                       |   |
| 58 | 40-08156                                 | DASH LCD<br>NOTE: Supersedes 40-08119 | 1 |



| Callout | Part Number | Part Name                                                                                                                             | Qty. per Motorcycle |
|---------|-------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1       | 90-08047    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X30-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                     | 1                   |
| 2       | 46-08065    | LONGBRICK FUSE COVER MY17 IMPL                                                                                                        | 1                   |
| 3       | 90-02052    | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                      | 1                   |
| 4       | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                       | 1                   |
| 5       | 90-02052    | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                      | 1                   |
| 6       | 90-02512    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X16-8.8<br>ZM-F-01                                                                           | 1                   |
| 7       | 90-08088    | CONTACTOR O-RING                                                                                                                      | 1                   |
| 8       | 90-02101    | WASHER ISO 7089 5-200HV ZM-F-01                                                                                                       | 1                   |
| 9       | 90-07125    | HEXAGON SOCKET BUTTON HEAD SCREW ISO 7380 M5X10                                                                                       | 1                   |
| 10      | 90-07125    | HEXAGON SOCKET BUTTON HEAD SCREW ISO 7380 M5X10                                                                                       | 1                   |
| 11      | 46-08104    | CURRENT SENSOR BUS BAR ASSEMBLY LONGBRICK                                                                                             | 1                   |
| 12      | 40-08069    | BMS PCB ASSY LONG BRICK POTTED 17MY IMPL<br>NOTE: PLEASE INCLUDE CASE#, VIN# OF BIKE AND<br>BATTERY SERIAL # FOR PROGRAMMING PURPOSES | 1                   |
| 13      | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                       | 1                   |
| 14      | 90-07127    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X5-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                      | 1                   |
| 15      | 46-08096    | LONGBRICK BMS COVER                                                                                                                   | 1                   |
| 16      | 80-08003    | BATTERY FRONT UPPER FILLER PLUG                                                                                                       | 1                   |
| 17      | 90-07126    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X8-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                      | 1                   |
| 18      | 90-02052    | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                      | 1                   |
| 19      | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                       | 1                   |
| 20      | 90-07126    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M4X8-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                      | 1                   |
| 21      | 90-02102    | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                       | 1                   |
| 22      | 45-08104    | ELECTRICAL COMPONENT EVC135 CONTACTOR END MT                                                                                          | 1                   |
| 23      | 46-08214    | ASSEMBLY BATTERY LONG CELL BOX ZF7.2<br>NOTE: Please supply VIN, Case or Claim Number when<br>ordering.                               | 1                   |
| 24      | 90-02140    | TUERCA EN U SUJETABLE M5X15.8DP                                                                                                       | 1                   |
| 25      | 46-08091    | BATTERY LOW VOLTAGE FUSE COVER                                                                                                        | 1                   |
| 26      | 90-07288    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M5X12-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01                                                     | 1                   |
| 27      | 46-08080    | HV BATTERY CONNECTOR CLIP                                                                                                             | 1                   |
| 28      | PA-240      | FUSE                                                                                                                                  | 1                   |
| 29      | 45-08110    | CONNECTOR STRAIN RELIEF PLATE SB SMART LB                                                                                             | 1                   |
| 30      | PA-241      | CABLE SUPPORT UPPER                                                                                                                   | 1                   |

|    |          |                                                                                                                                                                                                                                                                                                                                                                                                          |   |
|----|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 31 | PA-242   | CABLE SUPPORT LOWER                                                                                                                                                                                                                                                                                                                                                                                      | 1 |
| 32 | 90-02480 | WASHER ISO 7089 3-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 33 | 90-08046 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M3X12-8.8<br>ZM-F-01 REV 03 ZM-L-02 REV 01                                                                                                                                                                                                                                                                                                                        | 1 |
| 34 | 3101-012 | BATTERY LOW VOLTAGE FUSE HOLDER                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 35 | 26-08138 | MOUNTING BRACKET XMX LONGBRICK FRONT                                                                                                                                                                                                                                                                                                                                                                     | 1 |
| 36 | 90-02101 | WASHER ISO 7089 5-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 37 | 90-07272 | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M5X8-8.8 ZM-F-01 ZM-L-02                                                                                                                                                                                                                                                                                                                                | 1 |
| 38 | 24-05783 | CONTROLADOR FORMEX SUPERIOR XMX                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 39 | 40-08145 | ASSY MBB POTTED GEN2 STEP E<br>NOTE: Please provide VIN, Case or Claim Number when<br>ordering to ensure proper programming.<br>NOTE: Supersedes 40-08071.                                                                                                                                                                                                                                               | 1 |
| 40 | 60-07190 | DC-DC CONV 500W SEVCON 622-11211 ABS UNITS                                                                                                                                                                                                                                                                                                                                                               | 1 |
| 41 | 45-02692 | CIERRE DE INTERRUPTOR DE LLAVE ZADI<br>NOTE: This part is the ignition switch and keys only. If you want<br>a matching helmet lock for 16MY motorcycles and older, please<br>order p/n 20-05202. If you want the key switch and a lock for a<br>tank trunk, please order 27-08030. If you want a ignition and<br>matching locks for tank trunk and storage trunks, please order<br>part number 27-08044. | 1 |
| 42 | 90-02937 | PERNO HEXAGONAL DE SEGURIDAD M8X14MM<br>NOTE: One Time Use Bolt                                                                                                                                                                                                                                                                                                                                          | 1 |
| 43 | 90-02102 | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 44 | 90-02052 | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                                                                                                                                                                                                                                                                         | 1 |
| 45 | 90-02102 | WASHER ISO 7089 4-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 46 | 90-02052 | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                                                                                                                                                                                                                                                                         | 1 |
| 47 | 45-02413 | HALL SENSOR SIDESTAND SWITCH                                                                                                                                                                                                                                                                                                                                                                             | 1 |
| 48 | PA-243   | KICKSTAND SWITCH SCREW                                                                                                                                                                                                                                                                                                                                                                                   | 1 |
| 49 | 90-02052 | PREVAILING TORQUE TYPE NUT DIN 985 M4-08 ZM-F-01                                                                                                                                                                                                                                                                                                                                                         | 1 |
| 50 | 90-02104 | WASHER ISO 7089 -8-200 HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                        | 1 |
| 51 | 90-02054 | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                                                                                                                                                                                                                                                                                                                                         | 1 |
| 52 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 53 | 60-07009 | CONTROLLER, SIZE 4 GEN 4.5 SEVCON                                                                                                                                                                                                                                                                                                                                                                        | 1 |
| 54 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 55 | 90-03251 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X30-8.8<br>ZM-F-01                                                                                                                                                                                                                                                                                                                                              | 1 |
| 56 | 20-06553 | XMX HEATSINK MY14                                                                                                                                                                                                                                                                                                                                                                                        | 1 |
| 57 | 90-07269 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M8X30-10.9<br>ZM-F-01 REV 03 ZM-L-01 REV 01                                                                                                                                                                                                                                                                                                                       | 1 |
| 58 | 20-05036 | MONTAJE DE DISIPADOR TÁRMICO                                                                                                                                                                                                                                                                                                                                                                             | 1 |
| 59 | 90-02071 | HEXAGON NUT ISO 4032 M6-8 ZM-F-01 REV 02                                                                                                                                                                                                                                                                                                                                                                 | 1 |
| 60 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                                                                                                                                                                                                                                                                                                                                          | 1 |
| 61 | 45-06774 | DISC HORN K70/H12 V WITH BLACK ZINC                                                                                                                                                                                                                                                                                                                                                                      | 1 |

|    |          |                                                                                   |   |
|----|----------|-----------------------------------------------------------------------------------|---|
| 62 | 26-08041 | CHASSIS STRUCTURE MOUNTING BRACKET HORN                                           | 1 |
| 63 | 90-07285 | HEXAGON FLANGE BOLT DIN 6921 OR ISO 4162 M5X16<br>ZM-F-01 REV 03 ZM-L-01 REV 01   | 1 |
| 64 | 90-02071 | HEXAGON NUT ISO 4032 M6-8 ZM-F-01 REV 02                                          | 1 |
| 65 | 45-04864 | AC CHARGE INLET COVER                                                             | 1 |
| 66 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01 | 1 |
| 67 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                   | 1 |
| 68 | 90-02071 | HEXAGON NUT ISO 4032 M6-8 ZM-F-01 REV 02                                          | 1 |
| 69 | 90-02054 | PREVAILING TORQUE TYPE NUT DIN 985 M6-08 ZM-F-01                                  | 1 |
| 70 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                   | 1 |
| 71 | 26-08040 | DASH SUPPORT BRACKET STEEL                                                        | 1 |
| 72 | 40-08156 | DASH LCD<br>NOTE: Supersedes 40-08119                                             | 1 |
| 73 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                   | 1 |
| 74 | 45-08252 | ONBOARD CHARGER 720W<br>NOTE: Supersedes part number 40-07488 and 40-08089.       | 1 |
| 75 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01 | 1 |
| 76 | 60-07780 | LEFT HAND SWITCHGEAR ECIE                                                         | 1 |
| 77 | 40-06054 | KILL MODE START SWITCH                                                            | 1 |
| 78 | 45-08039 | THROTTLE BITRON HALL EFFECT PCB<br>NOTE: Supersedes 27-08000                      | 1 |



| Callout | Part Number | Part Name                                  | Qty. per Motorcycle |
|---------|-------------|--------------------------------------------|---------------------|
| 1       | 25-07682    | JJUAN 12.7MM FRONT MASTER CYLINDER SDS/FXS | 1                   |

## Part Detail for #1. JJUAN 12.7MM FRONT MASTER CYLINDER SDS/FXS

| Callout | Part Number | Part Name                                                                         | Qty. per Motorcycle |
|---------|-------------|-----------------------------------------------------------------------------------|---------------------|
| 2       | 25-08032    | SDS BRAKE JJUAN LEVER<br>NOTE: Superseded by 25-08199                             | 1                   |
| 3       | PA-126      | BRAKE LEVER PIVOT BOLT                                                            | 1                   |
| 4       | 25-07682    | JJUAN 12.7MM FRONT MASTER CYLINDER SDS/FXS                                        | 1                   |
| 5       | 90-07265    | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01 | 5                   |
| 6       | 24-08064    | MASTER CYLINDER CLAMP                                                             | 1                   |
| 7       | PA-130      | BRAKE LEVER PIVOT BOLT NUT                                                        | 1                   |

|    |          |                                                                                              |    |
|----|----------|----------------------------------------------------------------------------------------------|----|
| 8  | PA-128   | BANJO GASKET                                                                                 | 1  |
| 9  | 25-08095 | FX FRONT BRAKE LINE MC TO HCU                                                                | 1  |
| 10 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 11 | PA-129   | BANJO BOLT MC                                                                                | 1  |
| 12 | 90-02053 | PREVAILING TORQUE TYPE NUT DIN 985 M5-08 ZM-F-01<br>REV 02                                   | 3  |
| 13 | 90-02101 | WASHER ISO 7089 5-200HV ZM-F-01                                                              | 16 |
| 14 | 90-08030 | BRAKES MISCELLANEOUS COMPONENT LOOP CUSHINED<br>P-CLAMP M10-1/4"                             | 1  |
| 15 | 90-02101 | WASHER ISO 7089 5-200HV ZM-F-01                                                              | 16 |
| 16 | 90-04084 | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03 | 20 |
| 17 | PA-132   | BANJO BOLT FRONT CALIPER                                                                     | 1  |
| 18 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 19 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 20 | 90-08013 | HEX HEAD SCREW M8-1.25 X 35MM                                                                | 2  |
| 21 | 25-08169 | BRAKE ROTOR 320MM FIXED<br>NOTE: REPLACES 25-07702                                           | 1  |
| 22 | 90-07833 | CUSTOM ROTOR BOLT M8X23MM SHOULDER SCREW                                                     | 5  |
| 23 | 25-08080 | ABS MAGNET RING                                                                              | 2  |
| 24 | 45-07496 | MPI WHEEL SPEED SENSOR                                                                       | 2  |
| 25 | 25-08063 | BRAKE ROTOR 240MM XM FRONT                                                                   | 1  |
| 26 | 90-07516 | REAR BRAKE ROTOR BOLT<br>NOTE: Supersedes 90-08015.                                          | 4  |
| 27 | 25-07687 | JJUAN 27MM X2 FRONT CALIPER XM                                                               | 1  |

## Part Detail for #27. JJUAN 27MM X2 FRONT CALIPER XM

| Callout | Part Number | Part Name | Qty. per Motorcycle |
|---------|-------------|-----------|---------------------|
|---------|-------------|-----------|---------------------|

|    |          |                                  |   |
|----|----------|----------------------------------|---|
| 28 | PA-133   | BLEEDER VALVE                    | 1 |
| 29 | 25-07687 | JJUAN 27MM X2 FRONT CALIPER XMX  | 1 |
| 30 | PA-135   | FRONT BRAKE PAD ANTI RATTLE CLIP | 1 |
| 31 | 25-08027 | BRAKE PADS SET FRONT XMX         | 1 |

|    |          |                                                                                              |    |
|----|----------|----------------------------------------------------------------------------------------------|----|
| 32 | 90-08013 | HEX HEAD SCREW M8-1.25 X 35MM                                                                | 2  |
| 33 | 25-07822 | FX REAR BRAKE LINE MC TO HCU                                                                 | 1  |
| 34 | PA-131   | BANJO BOLT AND HCU                                                                           | 1  |
| 35 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 36 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 37 | PA-131   | BANJO BOLT AND HCU                                                                           | 1  |
| 38 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 39 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 40 | 90-04084 | TORNILLO DE CABEZA REDONDEADA DE CABEZA HUECA<br>HEXAGONAL ISO 7380 M5X16-8.8 ZM-F-11 REV 03 | 20 |
| 41 | 90-04085 | WASHER M5 X 11 X 1 NYLON 6/6 BLACK                                                           | 14 |
| 42 | PA-136   | BANJO BOLT REAR CALIPER                                                                      | 1  |
| 43 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 44 | 25-08094 | XMV REAR BRAKE LINE HCU TO CALIPER                                                           | 1  |
| 45 | PA-128   | BANJO GASKET                                                                                 | 1  |
| 46 | 25-08100 | JJUAN 30MM REAR CALIPER<br>NOTE: 15/16MY Old P/N: 25-08084                                   | 1  |

Part Detail for #46. JJUAN 30MM REAR CALIPER

| Callout | Part Number | Part Name                                                  | Qty. per Motorcycle |
|---------|-------------|------------------------------------------------------------|---------------------|
| 47      | PA-139      | REAR BRAKE PAD ANTI RATTLE CLIP                            | 1                   |
| 48      | 25-08028    | BRAKE PADS SET REAR XMV                                    | 1                   |
| 49      | PA-137      | REAR CALIPER SLIDE BOLT                                    | 1                   |
| 50      | PA-140      | REAR CALIPER SLIDE BOLT CLIP                               | 1                   |
| 51      | 25-08100    | JJUAN 30MM REAR CALIPER<br>NOTE: 15/16MY Old P/N: 25-08084 | 1                   |

|    |          |                                                                                                                                              |   |
|----|----------|----------------------------------------------------------------------------------------------------------------------------------------------|---|
| 52 | 90-07516 | REAR BRAKE ROTOR BOLT<br>NOTE: Supersedes 90-08015.                                                                                          | 4 |
| 53 | 25-08170 | BRAKE ROTOR 240MM REAR                                                                                                                       | 1 |
| 54 | 25-08080 | ABS MAGNET RING                                                                                                                              | 2 |
| 55 | 45-07496 | MPI WHEEL SPEED SENSOR                                                                                                                       | 2 |
| 56 | PA-128   | BANJO GASKET                                                                                                                                 | 1 |
| 57 | PA-128   | BANJO GASKET                                                                                                                                 | 1 |
| 58 | PA-27    | COTTER PIN                                                                                                                                   | 1 |
| 59 | 20-02465 | IGLIDE BEARING GFM-1416-06                                                                                                                   | 2 |
| 60 | 20-05184 | RESORTE DE TORSI3N X PEDAL DE FRENO                                                                                                          | 1 |
| 61 | 25-08071 | BRAKE PEDAL BASE<br>NOTE: Brake Pedal Off Road Peg - 25-08072 - sold seperately<br>NOTE: Brake Pedal Street Peg - 25-08073 - sold seperately | 1 |

|    |          |                                                                                          |    |
|----|----------|------------------------------------------------------------------------------------------|----|
| 62 | 25-08072 | BRAKE PEDAL OFF ROAD PEG                                                                 | 1  |
| 63 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01        | 5  |
| 64 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01        | 5  |
| 65 | 25-08073 | BRAKE PEDAL STREET PEG                                                                   | 1  |
| 66 | 90-07318 | HEXAGON FLANGE BOLT DIN 6921 M10X35 10.9 ZM-F-01<br>REV 03 ZM-L-01 REV 01                | 1  |
| 67 | 20-02465 | IGLIDE BEARING GFM-1416-06                                                               | 2  |
| 68 | 20-02455 | X BRAKE PEDAL SPACER                                                                     | 1  |
| 69 | 90-02133 | PASADOR DE ACERO CINCO DE 1/4 X 3/4                                                      | 1  |
| 70 | 90-07323 | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M6X25-8.8 ZM-F-01 REV 03 ZM-L-01 REV 01 | 2  |
| 71 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                          | 29 |
| 72 | 25-07457 | MASTER CYLINDER GUARD FOR J-JUAN MASTER<br>CYLINDER                                      | 1  |
| 73 | 20-06295 | REAR MASTER CYLINDER BRACKET XMX M6 THRU                                                 | 1  |
| 74 | 25-06731 | JJUAN 11MM REAR MASTER CYLINDER XMX                                                      | 1  |

Part Detail for #74. JJUAN 11MM REAR MASTER CYLINDER XMX

| Callout | Part Number | Part Name                                                                               | Qty. per<br>Motorcycle |
|---------|-------------|-----------------------------------------------------------------------------------------|------------------------|
| 75      | PA-144      | REAR BRAKE LIGHT SWITCH<br>NOTE: Not sold separately. Please order the Master Cylinder. | 1                      |
| 76      | 25-06731    | JJUAN 11MM REAR MASTER CYLINDER XMX                                                     | 1                      |
| 77      | 25-08034    | JJUAN REAR MC RESERVOIR CAP SERVICE KIT XMX                                             | 1                      |

|    |          |                                                                                          |    |
|----|----------|------------------------------------------------------------------------------------------|----|
| 78 | 90-02103 | WASHER ISO 7089 6-200HV ZM-F-01                                                          | 29 |
| 79 | 90-07265 | HEXAGON SOCKET HEAD CAP SCREW ISO 4762 M6X20-8.8<br>ZM-F-01 REV 03 ZM-L-01 REV 01        | 5  |
| 80 | 90-07273 | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M6X16-8.8 ZM-F-01 REV 03 ZM-L-01 REV 01 | 3  |
| 81 | 90-02105 | WASHER ISO 7093-1 6-200 HV ZM-F-01                                                       | 4  |
| 82 | 90-08027 | GROMMET VIBRATION ISOLATION M6                                                           | 2  |
| 83 | 25-08092 | BOSCH ABS HCU FLUID FILLED 6 PROFILE VARIANTS                                            | 1  |
| 84 | 90-08027 | GROMMET VIBRATION ISOLATION M6                                                           | 2  |
| 85 | 90-02105 | WASHER ISO 7093-1 6-200 HV ZM-F-01                                                       | 4  |
| 86 | 90-07273 | HEXAGON SOCKET BUTTON HEAD CAP SCREW ISO 7380<br>M6X16-8.8 ZM-F-01 REV 03 ZM-L-01 REV 01 | 3  |
| 87 | 25-08094 | XMX REAR BRAKE LINE HCU TO CALIPER                                                       | 1  |
| 88 | PA-128   | BANJO GASKET                                                                             | 1  |
| 89 | PA-128   | BANJO GASKET                                                                             | 1  |
| 90 | PA-131   | BANJO BOLT AND HCU                                                                       | 1  |
| 91 | PA-128   | BANJO GASKET                                                                             | 1  |
| 92 | PA-128   | BANJO GASKET                                                                             | 1  |
| 93 | PA-131   | BANJO BOLT AND HCU                                                                       | 1  |

|    |          |                                                  |   |
|----|----------|--------------------------------------------------|---|
| 94 | 25-08023 | BRAKE LINE/WHEEL SPEED SENSOR WIRE DOUBLE C CLIP | 6 |
| 95 | 25-08015 | JJUAN 12MM REAR MASTER CYLINDER SDS              | 1 |

Part Detail for #95. JJUAN 12MM REAR MASTER CYLINDER SDS

| Callout | Part Number | Part Name                            | Qty. per Motorcycle |
|---------|-------------|--------------------------------------|---------------------|
| 96      | PA-130      | BRAKE LEVER PIVOT BOLT NUT           | 1                   |
| 97      | 25-08031    | FX/MX BRAKE LEVER JJUAN              | 1                   |
| 99      | 25-07681    | JJUAN 12MM FRONT MASTER CYLINDER XMX | 1                   |